Windows®. Life without Walls™. Fujitsu recommends Windows 7.

FUJITSU

Data Sheet

Fujitsu LIFEBOOK S760 Notebook

Boundless mobility on the road


LIFEBOOK S760

The LIFEBOOK S760 is the perfect notebook for users who are looking for a light-weight system but don't want to compromise on performance. With the 33.8cm (13.3-inch) display and starting from just 1.8kg it is equipped with a full-featured performance processor and extra thin second battery or DVD-drive. The LIFEBOOK S760 leaves nothing to be desired.

Slim mobility

Enjoy permanent access to all your data thanks to a mobile device that is both, easy and flexible to use.

■ Lightweight notebook with only 1.8 kg, battery runtime of up to 12 hours, extra-thin modular bay for second battery or DVD-drive, optional 3G/UMTS



The latest Intel® technology ensures high performance and mobile productivity.

■ Up to Intel® Core™i7 processors, Intel® QM57 chipset, Intel® vPro™ technology

Ergonomic working

Several features enable comfortable usage of your notebook. With the anytime USB charge you can charge your USB devices even when the notebook is switched off, or the new keyboard with enlarged frequently used keys. The ScrollWheel enables comfortable scrolling, suitable for long web page. The independent scroll pad doesn't disturb pointing operation.

 Anti-glare display, 16:9 aspect ratio, HDMI interface, ScrollWheel, optional fingerprint sensor and webcam, port replicator, anytime USB charge

Reliable companion

Secure and effective working even for the most demanding of users in all situations.

■ Spill-resistant keyboard, ShockSensor, optional magnesium lid and further innovative highlights

Maximum security

Protect your company data against unauthorized third-party access.

 Benefit from our end-to-end anti-theft concept with system and user protection, such as Computrace® enabled BIOS and optional Advanced Theft Protection, optional fingerprint sensor, TPM module and SmartCase Logon+

























Components

Draceccor	Intol® Corolli 17 6/0M processor /2 90 CHz / MD\							
Processor	Intel® Core™ i7-640M processor (2.80 GHz, 4 MB) Intel® Core™ i7-620M processor (2.66 GHz, 4 MB)							
	Intel® Core™ i5-560M processor (2.66 GHz, 3 MB)							
	Intel® Core™ i5-540M processor (2.53 GHz, 3 MB) Intel® Core™ i5-520M processor (2.4 GHz, 3 MB) Intel® Core™ i5-460M processor (2.53 GHz, 3 MB) * Intel® Core™ i3-380M processor (2.53 GHz, 3 MB) * Intel® Core™ i3-370M processor (2.40 GHz, 3 MB) * Intel® Celeron® processor P4600 (2.00 GHz, 2 MB) Intel® Celeron® processor P4500 (1.86 GHz, 2 MB) *Processor only for retail, SMB, education and government							
					Operating system	- Total Start Total Tota		
					Operating system	Genuine Windows® 7 Professional 64-bit		
					Operating system	Genuine Windows® 7 Hone Premium 64-bit		
					Operating system compatible	Genuine Windows® XP Professional		
Operating system notes	Driver support for Microsoft® Windows® XP Professional							
, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Dependent on configuration Windows 7® versions are:							
	Microsoft Office 2007 ready							
	Microsoft Office 2010 preloaded. Purchase a Product Key to activate a full Microsoft Office 2010 suite.							
Memory modules	2 GB (1 module(s) 2 GB) DDR3, 1066 MHz, PC3-8500, SO DIMM							
	4 GB (1 module(s) 4 GB) DDR3, 1066 MHz, PC3-8500, SO DIMM							
Supported capacity RAM (max.)	8 GB							
Memory slots total	2							
Memory slot type	DIMM (DDR3)							
Hard disk drives (internal)	SSD SATA, 128 GB, 2.5-inch							
, ,	SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T.							
	SATA, 7200 rpm, 160 GB, 2.5-inch, S.M.A.R.T.							
	SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.							
	SATA, 5400 rpm, 160 GB, 2.5-inch, S.M.A.R.T.							
	FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.							
Hard disk notes	ShockSensor for HDD shock protection							
	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity.							
	Accessible capacity may vary, also depending on used software							
WLAN (optional)	Atheros Minicard b/g/n							
	Intel® Centrino® 6200 802.11 a/b/g/n							
Vireless technologies								
Antennas	2 Dual band WLAN antennas, 2 UMTS antennas							
WLAN notes	Import and usage according to country-specific regulations.							
BG/UMTS (optional)	Sierra Wireless Gobi 2000 (downlink 7.2 Mbit/s, uplink 5.76 Mbit/s)							
Bluetooth (optional)								
	Bluetooth 2.1							
Display	33.8 cm (13.3-inch), LED backlight, (HD), Anti-glare display, magnesium, 1366 x 768 pixel, 300:1, 200 cd/m ²							
	33.8 cm (13.3-inch), LED backlight, (HD), Anti-glare display, compound, 1366 x 768 pixel, 300:1, 200 cd/m ²							
Modular bay options	2nd battery							
	DVD Super Multi							
	Weight saver							

Base unit	LIFEBOOK S760, 13.3-inch HD			
	בוו בטיטות אינטט, ואינטטטן וווידיני. בווי בטיטות אינטטטטטטטטטטטטטטטטטטטטטטטטטטטטטטטטטטטט			
General system information	L. J. OMET			
Chipset	Intel® QM57			
Chipset notes	supports iAMT 6.0, vPro requires Core i5-5xx / i7 processor, Intel W-LAN & TPM module			
BIOS features	BIOS based on Phoenix TrustedCore Notebook			
Graphics				
TFT resolution (HDMI)	up to 1920 x 1080			
TFT resolution (VGA)	up to 1920 x 1200			
TFT resolution (DVI on Port Replicator)	up to 1920 x 1200			
Max. resolution external display	1920 x 1200 / true color / 60 Hz			
Graphics brand name	Intel® HD Graphics			
Graphics features	DualView (Windows® XP & Windows® Vista)			
Interfaces				
Memory card slots	1			
ExpressCard slots	1 (34mm and 54mm supported)			
SIM card slot	1 (usable only with 3G/UMTS)			
Modem (RJ-11)	1 (optional)			
USB 2.0 total	3 (whereof one with Anytime Charge functionality)			
VGA	1			
HDMI	1			
Ethernet (RJ-45)	1			
DC-in	1			
Audio: line-in / microphone	1			
Audio: line-out / headphone	1			
Internal microphones	2			
Docking connector for Port Replicator	1			
Kensington Lock support	1			
Wired communication				
Modem type	Optional: 56 K V.92 modem MDC1.5			
LAN	Built-in 10/100/1000 MBit/s Intel® 82577 LM			
Keyboard and pointing devices				
keybbald and politing devices	Spill-resistant keyboard			
	Number of keyboard keys: 85, Keyboard pitch: 19 mm, Keyboard stroke: 2.7 mm			
	Touchpad with two mouse buttons and ergonomic ScrollWheel			
	Optional: Fingerprint sensor			
	Application buttons			
Multimedia				
Audio type	On board			
Audio codec	Realtek ALC269			
Audio features	Stereo speakers, 2 internal microphones			
Camera	Optional: Built-in webcam, 1.3 megapixel, VGA camera			
Power supply	- ·			
AC adapter	19 V / 80 W (4.22 A)			
Rated voltage range	100 V - 240 V (AC Input)			
Rated frequency range	50 Hz - 60 Hz			
1st battery	Li-Ion battery 6-cell, 5200 mAh, 56 Wh			
13C Dattery	Li-Ion battery 6-cell, 5800 mAh, 63 Wh			
2nd battery (optional)	Li-Ion battery 3-cell, 2500 mAh, 27 Wh			
Zina Dattery (optional)	E 1011 DOCCET J CC11, 2000 111/111, 27 1111			

Power supply				
Battery features	Rapid charge with 5200 mAh batteries			
Benchmark	Mobile Mark 2007 (readers mode – e.g. surfing the internet, writing E-mails, viewing documents)			
Runtime 1st battery	up to 8 h			
Runtime 1st + 2nd battery	up to 12 h			
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.			
Related Processors for power consumption				
Link to Energy White Paper	http://docs.ts.fujitsu.com/dl.aspx?id=ab140a17-51ed-432d-a681-49d5bf42843b			
Dimensions / Weight / Environmental				
Dimensions (W x D x H)	314 x 222 x 36.8-38.3mm (depending on display) mm			
Weight	1.8-1.9 kg (depending on display)			
Weight notes	Actual weight may vary depending on configuration			
Operating ambient temperature	5 - 35℃			
Operating relative humidity	20 - 85 % (running)			
Additional Software				
Additional software (preinstalled)	Adobe Acrobat Reader Application Panel Display Manager ShockSensor Utility Power Saving Utility Wireless Selector Utility EasyGuide online user documentation Nero Essentials S (burning software) Norton Internet Security (incl. Firewall) on Drivers & Utilities DVD for Microsoft Windows XP			
Additional software (optional)	Recovery DVD (Windows® 7) Drivers & Utilities DVD (DUDVD) UMTS connection manager (optional with UMTS) DVD playback software			
Manageability				
Manageability features	DeskUpdate Driver management iAMT 6.0 Intel® vPro™ technology			
Manageability type	DeskView 10.x client management including:			
DeskView features	On/Offline remote client management Detailed system inventory management and reports BIOS Management Remote power management System notifications Security Remote Control DeskView Helpdesk Integration WoL (Wake on LAN)			
Supported standards	WMI PXE BootP (made4you)			
Manageability link	http://ts.fujitsu.com/solutions/it_infrastructure_solutions/manageability/featurefinder.html			
Security				
Physical security	Kensington Lock support			
System security	Computrace® enabled BIOS Optional: Trusted platform module (TPM 1.2) Norton Internet Security (incl. Firewall) 90 days version			

Page 4 / 7 http://ts.fujitsu.com/mobile

Security						
User security	Optional: Access protect Hard disk password SystemLock BIOS Smar Optional: SmartCase Lo	Optional: Integrated fingerprint sensor Optional: Access protection via external SmartCard reader Hard disk password SystemLock BIOS SmartCard security Optional: SmartCase Logon+ User and supervisor BIOS password				
Compliance						
Germany	GS	GS				
Global	WEEE (Waste electrical Microsoft Operating Sy WiFi certified ENERGY STAR® 5.0 Compliant with ISO 92- EPEAT® Gold (dedicate	RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronical equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) WiFi certified				
Compliance link	https://sp.ts.fujitsu.cor	https://sp.ts.fujitsu.com/sites/certificates/default.aspx				
Portreplicator interfaces (optional)						
	Portreplicator\AC Adap	ter\EU-Cable Kit Portreplicator\AC Ad	apter\GB-Cable Kit Portreplicator			
DC-in	1		1			
Power on switch	1	1	1			
Audio: line-out / headphone	1	1	1			
USB 2.0 total	4	4	4			
VGA	1	1	1			
DVI	1	1	1			
Serial (RS-232)	1	1	1			
Ethernet (RJ-45)	1		1			
Parallel	1	1	1			
Kensington Lock support	1	1	1			
eSATA	1	1	1			
Warranty						
Standard Warranty	2 years	2 years				
Service level		(depending on country)				
Maintenance and Support Services	•	•				
Recommended Service	·	5x9, Response Time: Next Business Day				
Spare Parts availability	5 years	•				
Service Weblink	htttp://ts.fujitsu.com/S	htttp://ts.fujitsu.com/Supportservice				





Recommended Accessories

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

LIFEBOOK bundle (Port rep\AC Adapter\EU-Cable Kit)



Flexibility, expandability, desktop replacement - to name just a few benefits of Fujitsu docking options.

Order Code: S26391-F655-L100

LIFEBOOK bundle (Port rep\AC Adapter\UK-Cable Kit)



Flexibility, expandability, desktop replacement - to name just a few benefits of Fujitsu docking options.

Order Code: S26391-F655-L200

2nd battery



the power socket!

With a second battery you can maximize the working time of your notebook Order Code: and work wherever you want for a whole working day. Just put the 2nd S26391-F441-L200 battery into the modular bay and enjoy truly mobile working – free from

MicroSaver® Combination Notebook Lock



Protect your notebook-and the personal information you have stored-from theft. Lock it with this easy-to-use, keyless 4-wheel combination lock from Kensington, the leader in notebook security. .

Order Code: S26361-F1650-L500

Privacy filter



Privacy filters help block the screen view from anyone viewing the computer Order Code: from a side view. 3M's unique microlouver privacy technology allows S26391-F6097-L134 persons directly in front of the computer to see on-screen data clearly. 3M

Prestige Case Mini



Zip-down case with cushioned notebook compartment; new front design with separate exterior compartments for accessories like AC Adapter, cables S26391-F119-L151 etc., cushioned shoulder strap.

offers the broadest line of computer filters available.

Order Code:

Presenter IV Air



Do you often give presentations? Would you like to communicate pro actively with your audience during your presentations? Step up to the plate S26381-K440-L100 and make use of your freedom of movement with the Presenter IV Air Whether you're leafing through informative material, adjusting audio files or using the laser pointer to indicate special features, you have everything reliably under control with this presenter.

Thanks to the 2D air mouse function you can even do away with the cable mouse and navigate through your files with ease

Order Code:

Page 6 / 7 http://ts.fujitsu.com/mobile

More information

Fujitsu platform solutions

In addition to Fujitsu LIFEBOOK S760, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

Learn more about Fujitsu LIFEBOOK S760, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

http://ts.fujitsu.com/mobile

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT.

Please find further information at http://www.fujitsu.com/global/about/environment/



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see http://ts.fujitsu. com/terms_of_use.html Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner

CONTACT

FUJITSU Technology Solutions Website: http://ts.fujitsu.com 2010-12-27 CE-EN All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see http://ts.fujitsu.com/terms_of_use.html
Copyright © Fujitsu Technology Solutions